

Where can I find the Linux DBL/Sniffer10G myri bug report script?

Model:

ARC Series E Adapters

Software:

DBL and Sniffer10G

Operating System:

Supports the Linux Operating System.

Information:

Myri_bug_report is a diagnostic script included in the Linux DBL/Sniffer10G software distribution. It is used to collect diagnostic information about a customer's system configuration, such as uname output, processor files such as cpufreq and interrupts, lspci, kernel messages, ethtool, myri_counters, etc.

DBL location:

The script is located in **/opt/dbl/sbin/myri_bug_report** and must be run as root. It is very important that it is executed from within the **/sbin** directory, otherwise important diagnostic information will not be collected.

If you encounter installation, usage, or performance problems with DBL, please send the output of **myri_bug_report** to CSPI Technical Support (support@cspi.com). The output generated from this script can greatly ease and speed up the resolution of the issue.

This script must be run as root, for example:

```
% chmod 755 ./myri_bug_report
% su
# ./myri_bug_report
```

Sniffer10G location:

The script is located in **/opt/snf/sbin/myri_bug_report** and must be run as root. It is very important that it is executed from within the **/sbin** directory, otherwise important diagnostic information will not be collected.

If you encounter installation, usage, or performance problems with SNF, please send the output of **myri_bug_report** to CSPI Technical Support (support@cspi.com). The output generated from this script can greatly ease and speed up the resolution of the issue.

The script must be run as root, for example:

```
% chmod 755 ./myri_bug_report
% su
# ./myri_bug_report
```

Revision	Date	Change
1	6/24/2016	Initial Draft
2	8/18/2016	Feedback Edits

